## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

## Listing of Claims:

- 1. (previously presented) A system for mapping captured multimedia information onto graphics for insertion into a communication using an Instant Messaging (IM) 2 application, wherein the insertion is based on multimedia information, the system comprising: 3 4 an information capture module for capturing the multimedia information in the 5 vicinity of a machine on which the user is using the IM application; 6 an information extraction and interpretation module communicatively coupled with the information capture module, for extracting relevant information from the captured 7 8 multimedia information and interpreting it; and a mapping module communicatively coupled with the information extraction and 9 interpretation module, for mapping the interpreted information onto a graphic; 10 11 an Application Program Interface module for the IM application, 12 communicatively coupled to the mapping module, for inserting the graphic into the communication in real time using the IM application, said inserting only occurring after 13 detecting a trigger from a user. 14
- 2. (original) The system of claim 1, wherein the multimedia information
   comprises at least one of audio information, still image information, and video information.
  - (canceled)

1

1

2

- 1 4. (previously presented) The system of claim 1, wherein the emoticon 2 graphic is predefined by the IM application.
  - (previously presented) The system of claim 1, wherein the graphic is predefined by a third-party application.

1		6.	(previously presented) The system of claim 1, wherein the graphic is		
2 created by the user.					
1		7.	(previously presented) The system of claim 6, wherein the graphic is		
1					
2	created by the	user by	y processing captured multimedia information.		
1		8.	(previously presented) A method for mapping captured multimedia		
2	information onto graphics for insertion into a communication using an Instant Messaging (IM)				
3	application, w	wherein the insertion is based on multimedia information, the method comprising:			
4	receiving the captured multimedia information;				
5 interpreting the captured multimedia information; and			reting the captured multimedia information; and		
6	mapping the interpreted information onto a graphic: inserting the graphic into the communication in real time, said inserting only				
7					
8					
1		9.	(original) The method of claim 8, wherein the multimedia information		
2	comprises at 1	east one	e of audio information, still image information, and video information.		
1		10.	(canceled)		
1		11.	(previously presented) The method of claim 8, wherein the step of		
2	mapping the interpreted information onto a graphic comprises:				
3	selecting one graphic out of a plurality of graphics predefined in the IM				
4	application.				
	**				
1		12.	(previously presented) The method of claim 8, wherein the step of		
2	mapping the interpreted information onto a graphic comprises:				
3		selecti	ng one graphic out of a plurality of graphics predefined in a third-party		
4	application.				
		13.	(previously presented) The method of claim 8, wherein the step of		
1					
2	mapping the interpreted information onto a graphic comprises:				
3	selecting one graphic out of a plurality of customized graphics created by the user				

1		14. (previously presented) The method of claim 8, further comprising:		
2		determining whether said trigger has been received;		
3		responsive to the trigger being received, capturing the multimedia information.		
1		15. (previously presented) A method for creating a graphic for a		
1				
2		n using an IM application, based on captured multimedia information, the method		
3	comprising:			
4		receiving the captured multimedia information; and		
5		processing the received captured multimedia information to create a graphic;		
6		inserting the graphic into the communication in real time, said inserting only		
7	occurring after detecting a trigger from a user.			
1		16. (previously presented) The method of claim 15, further comprising:		
2		inserting the graphic into the communication using the IM application.		
1		17. (previously presented) The method of claim 15, further comprising:		
2		storing the graphic for use in a later IM communication using the application.		
2		storing the graphic for use in a rater livi communication using the application.		
1		18. (previously presented) The method of claim 15, wherein the step of		
2	processing the	received captured multimedia information to create a graphic comprises:		
3		reducing the size of the captured multimedia information.		
1		19. (previously presented) The method of claim 15, wherein the step of		
2	processing the	received captured multimedia information to create a graphic comprises:		
3		reducing the resolution of the captured multimedia information.		
1		20. (previously presented) The method of claim 15, wherein the step of		
2	processing the	received captured multimedia information to create a graphic comprises:		
3		selecting a frame from a plurality of frames of the captured multimedia		
4	information.			

26.

1

(canceled)

1	21. (previously presented) A system for mapping captured multimedia				
2	information onto emoticons graphics for insertion into an electronic medium, wherein the				
3	insertion is based on multimedia information, the system comprising:				
4	an information capture module for capturing the multimedia information in the				
5	vicinity of a machine in communication with the electronic medium;				
6	an information extraction and interpretation module communicatively coupled				
7	with the information capture module, for extracting relevant information from the captured				
8	multimedia information and interpreting it; and				
9	a mapping module communicatively coupled with the information extraction and				
10	interpretation module, for mapping the interpreted information onto a graphic;				
11	an Application Program Interface module, communicatively coupled to the				
12	mapping module, for inserting the graphic into the communication in real time, said inserting				
13	only occurring after detecting a trigger from a use.				
1	22. (original) The system of claim 21, wherein the multimedia information				
	comprises at least one of audio information, still image information, and video information.				
2	comprises at least one of audio information, still image information, and video information.				
1	23. (canceled)				
1	24. (previously presented) A method for mapping captured multimedia				
2	information onto graphics for insertion into an electronic medium, wherein the insertion is based				
3	on multimedia information, the method comprising:				
4	receiving the captured multimedia information;				
5	interpreting the captured multimedia information; and				
6	mapping the interpreted information onto a graphic:				
7	inserting the graphic into the communication in real time, said inserting only				
8	occurring after detecting a trigger from a user.				
	or ( ) Drug ( ) Chi ok had a black information				
1	25. (original) The method of claim 24, wherein the multimedia information				
2	comprises at least one of audio information, still image information, and video information.				

gesture by said user.

graphic format.

32.

27. (previously presented) A system for mapping captured multimedia					
information onto graphics for insertion into an electronic communication, wherein the insertion					
is based on multimedia information, the system comprising:					
an information capture module for capturing the multimedia information in the					
vicinity of a machine the user is using for the electronic communication;					
an information extraction and interpretation module communicatively coupled					
with the information capture module, for extracting relevant information from the captured					
multimedia information and interpreting it; and					
a mapping module communicatively coupled with the information extraction and					
interpretation module, for mapping the interpreted information onto a graphic;					
an Application Program Interface module, communicatively coupled to the					
mapping module, for inserting the graphic into the communication in real time, said inserting					
only occurring after detecting a trigger from a user.					
28. (original) The system of claim 27, wherein the multimedia information					
comprises at least one of audio information, still image information, and video information.					
29. (canceled)					
30. (previously presented) The system of claim 1 wherein said graphic					
represents motion by said user.					
31. (previously presented) The system of claim 1 wherein said trigger is a					

1 33. (previously presented) The system of claim 1 wherein said relevant
2 information extracted by said information extraction and interpretation module is mapped to one
3 of a preselected group of graphics, including graphics representing a smile, a frown and a wink.

information extracted by said information extraction and interpretation module is in a non

(previously presented) The system of claim 1 wherein said relevant

Appl. No. 10/767,132 Amdt. dated January 14, 2008 Reply to Office Action of October 17, 2007

- 34. (previously presented) The system of claim 1 wherein said relevant
- 2 information extracted by said information extraction and interpretation module is an article worn
- 3 by said user.

1